


**10kg, 12kg, 15kg and 25kg Lpg, Mix Cylinders have a 22mm valve and must only be used with a 22mm regulator.**

## Connecting 10Kg, 12Kg, 15Kg and 25 kg Lpg Mix Cylinders



1. Remove the green safety cap by pulling the lanyard out, then up. Do not use tools.
2. Ensure the regulator switch is in the disconnect position (3 o'clock position).
3. Fit the 22mm regulator as per the manufacturer's instructions
4. When gas is required, turn the switch to the vertical on position



If the regulator on/off switch gets stuck when turning the supply on, it means that the regulator has been connected incorrectly. In this event the regulator must be disconnected and the correct step to reconnect repeated from the beginning.

## Disconnecting 10Kg, 12Kg, 15Kg and 25 kg Lpg Mix Cylinders

1. Never disconnect the Regulator (or connecting nut) with the valve open.
2. Turn the regulator switch to the off position.
3. Wait until the burner and pilot lights have gone out. If the flame does not go out, turn the switch back to on; leave the appliance alight and call your gas supplier.
4. For the **Liquigas Malta** regulator, press the push button on the lower part and lift the regulator from the valve.



### In the Event of Fire:

- Immediately raise the alarm and call the Fire Brigade (112) advising them of the presence of LPG;
- Shut all valves on cylinders;
- Keep cylinders cool by water spray;
- Call the Liquigas Malta Ltd 24/7 customer service on 2165,1661/2/3/4/5

Liquigas Malta Limited has made every effort to ensure that the information contained within this publication is accurate. Its content should be used as guidance material and not as a replacement of current regulations or existing standards. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from Liquigas Malta Limited. © Liquigas Malta Limited 2010